


Reduced Tee Branch



SIZES

Eco-Duo Reduced Tee Branch for 22x15x22mm *	W8355 CP	0.36kg
Eco-Duo Reduced Tee Branch for 28x15x28mm *	W8356 CP	0.41kg
Eco-Duo Reduced Tee Branch for 28x22x28mm *	W8357 CP	0.42kg
Eco-Duo Reduced Tee Branch for 35x15x35mm *	W8358 CP	0.67kg
Eco-Duo Reduced Tee Branch for 35x22x35mm *	W8359 CP	0.67kg
Eco-Duo Reduced Tee Branch for 35x28x35mm *	W8360 CP	0.70kg
Eco-Duo Reduced Tee Branch for 42x15x42mm *	W8361 CP	0.73kg
Eco-Duo Reduced Tee Branch for 42x22x42mm *	W8362 CP	0.65kg
Eco-Duo Reduced Tee Branch for 42x28x42mm *	W8363 CP	0.84kg
Eco-Duo Reduced Tee Branch for 54x22x54mm	W1645 CP	1.10kg
Eco-Duo Reduced Tee Branch for 54x28x54mm	W1646 CP	1.08kg
Eco-Duo Reduced Tee Branch for 54x35x54mm	W1647 CP	1.11kg
Eco-Duo Reduced Tee Branch for 54x42x54mm	W1648 CP	1.22kg
Eco-Duo Reduced Tee Branch for 66.7x28x66.7mm	W1669 CP	2.848kg
Eco-Duo Reduced Tee Branch for 66.7x35x66.7mm	W1668 CP	2.848kg
Eco-Duo Reduced Tee Branch for 66.7x42x66.7mm	W1667 CP	2.848kg
Eco-Duo Reduced Tee Branch for 66.7x54x66.7mm	W1666 CP	2.848kg
Eco-Duo Reduced Tee Branch for 76.1x28x76.1mm	W1665 CP	3.779kg
Eco-Duo Reduced Tee Branch for 76.1x35x76.1mm	W1664 CP	3.779kg
Eco-Duo Reduced Tee Branch for 76.1x42x76.1mm	W1663 CP	3.779kg
Eco-Duo Reduced Tee Branch for 76.1x54x76.1mm	W1662 CP	3.779kg
Eco-Duo Reduced Tee Branch for 76.1x66.7x76.1mm	W1661 CP	3.779kg
Eco-Duo Reduced Tee Branch for 108x54x108mm	W1594 CP	3.05kg
Eco-Duo Reduced Tee Branch for 108x66.7x108mm	W1595 CP	3.23kg
Eco-Duo Reduced Tee Branch for 108x76.1x108mm	W1596 CP	3.23kg

* Only available in packs of 10

FEATURES AND BENEFITS

- Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- No special installation required
- Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems

MATERIALS

Body: Copper
Separators: 316 Stainless Steel

MAX PRESSURE

16 Bar

NOTES

Only for use with potable water
Only for use with pumped recirculated water

FINISHING OPTIONS

Copper CP

Reduced Tee Branch

ECODU©

SKU	DESC	I1	I2	I3	d1	d2	z1	z2	c1	C1	c2	C2
W8355 CP	22x15x22mm	34	31	78	22	15	10	13	8	5	6	5
W8356 CP	28x15x28mm	37	34	84	28	15	10	16	10	5	6	5
W8357 CP	28x22x28mm	40	40	90	28	22	14	16	10	5	8	5
W8358 CP	35x15x35mm	43	47	98	35	15	11	29	15	5	6	5
W8359 CP	35x22x35mm	46	44	102	35	22	14	20	15	5	8	5
W8360 CP	35x28x35mm	49	47	108	35	28	17	21	15	5	10	5
W8361 CP	42x15x42mm	49	52	108	42	15	11	34	15	5	6	5
W8362 CP	42x22x42mm	53	48	108	42	22	15	24	15	5	8	5
W8363 CP	42x28x42mm	56	52	116	42	28	18	25	15	5	10	5
W1645 CP	54x22x54mm	57	65	124	54	22	15	41	22	5	8	5
W1646 CP	54x28x54mm	60	68	130	54	28	18	41	22	5	10	5
W1647 CP	54x35x54mm	64	69	138	54	35	21	41	22	5	15	5
W1648 CP	54x42x54mm	67	73	144	54	42	25	41	22	5	15	5
W1669 CP	66.7x28x66.7mm	70	76	150	66.7	28	22	49	22	5	10	5
W1668 CP	66.7x35x66.7mm	75	81	160	66.7	35	27	49	22	5	15	5
W1667 CP	66.7x42x66.7mm	78	87	166	66.7	42	30	49	22	5	15	5
W1666 CP	66.7x54x66.7mm	83	92	176	66.7	54	35	49	22	5	22	5
W1665 CP	76.1x28x76.1mm	76	87	162	76.1	28	27	60	28	5	10	5
W1664 CP	76.1x35x76.1mm	76	86	162	76.1	35	27	54	28	5	15	5
W1663 CP	76.1x42x76.1mm	80	92	170	76.1	42	30	54	28	5	15	5
W1662 CP	76.1x54x76.1mm	86	97	182	76.1	54	36	54	28	5	22	5
W1661 CP	76.1x66.7x76.1mm	91	105	192	76.1	66.7	41	57	28	5	22	5
W1594 CP	108x54x108mm	108	115	226	108	54	38	75	35	5	22	5
W1595 CP	108x66.7x108mm	112	123	236	108	66.7	43	75	35	5	22	5
W1596 CP	108x76.1x108mm	119	125	248	108	76.1	49	75	35	5	22	5

Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics, registered at 7 Fairfield Place, East Kilbride, Glasgow, United Kingdom, G74 5LP, Company No: SC632550, VAT: GB 350 116 837, and the final purchaser of the product.

When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

25 Years

The Eco-Duo Copper and Stainless ranges are guaranteed for a period of 25 years commencing on the date of purchase when installed in conjunction with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the purchaser may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications and does not cover instances of normal wear and tear).

This product range has been designed for the use of domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions contained within the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour, and accidental damage to the product are not covered by this guarantee.

The extent of any liability from this guarantee is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

Eco-Duo is a trademark of Water Kinetics Ltd

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.